PRO\	/ISIONA	LS RX



4141 MacArthur Blvd. • Newport Beach, CA 92660 800-777-0695 • Fax 800-411-9722 • glidewell.co

Dr. Name	Phone #		
Patient Name	First	Acct. #	
Address			
Email		Deliver by 5 p.m. on Se	e Reverse for Working Times
Enclosed with case:	☐ Impressions ☐ M	odels □ Bite □ Photos □ Othe	er:


Fill out all applicable criteria on the Rx **PROVISIONALS SHADE Indicate Shade Here CHOOSE RESTORATION** □ BioTemps Provisionals Reinforcement: □ None □ Wire** □ Fiber ☐ Cast-Metal Substructure +1 working day ☐ Cement-on Implant #(s) ☐ Screw-retained Implant #(s) ☐ Transition Crowns & Bridges • Transition C&B are milled from an acetal resin block (No reinforcement) Fabricate: ☐ Lab Prep ☐ Solid Model ☐ Die-Trim Model ☐ Cement-on Implant #(s) ☐ Screw-retained Implant #(s) □ Smile Transitions □ Upper ☐ Lower ☐ Buy 2, same arch only ☐ Fabricate with occlusal holes ☐ Open bite _____ mm anteriorly

☐ Add length to gingival on tooth

_by ____ mm

m	Email		
	Enclosed with case: 🔾 I		
Abutment** #(s) Pontic #(s) Extract #(s) Veneer #(s) Splinted** #(s)	duction:		
□ 1 mm** □ 2 mm)		
SELECT INC	CISAL EDGE TYPE		
Rounded C	1 Squared Pointed		
SELECT PONTIC DESIGN TYPE			
☐ Perio site healin	•		





Signature	
License #	Date

Submission of this Rx constitutes agreement with limited warranty terms and conditions. See reverse for details.

TERMS AND WARRANTY INFORMATION

We honor VISA, MASTERCARD, AMEX and DISCOVER.

TERMS: Cost of collection of any account will be paid by the customer. All accounts are payable within 30 days of statement date. **Accounts not paid within the stated terms will be subject to COD status and a late charge of 2 percent of the unpaid balance.** Prices subject to change without notice. Rx must be enclosed with original case submission.

NO-FAULT REMAKE POLICY: Glidewell is pleased to process all remakes or adjustments at no additional charge if requested within the warranty period and **accompanied by the return of the original appliance.**

LIMITED WARRANTY/LIMITATION OF LIABILITY. For warranty terms and conditions and limitation of liability, visit *glidewell.com/policies-and-warranties*.

- BioTemps, 6-month warranty
- Transition Crowns & Bridges, 2-year warranty




Please include upper and lower impressions or models and a bite registration. For best results, please do a 'two-step' impression. You may also submit a digital scan. For a detailed process on how to take excellent impressions, scan the QR code to the left.




All Restorations
Made in the USA

PREPARATION GUIDELINES

ANTERIOR




- A. 1 mm inciscal reduction
- B. 0.8 mm middle third reduction
- C. Labial and lingual walls must be convergent
- D. Preparation should be cut in three planes




A. 0.3 to 1.0 mm labial reduction

POSTERIOR



- A. 1 mm occlusal reduction
- B. 0.8 mm middle third reduction
- C. Buccal and lingual walls must be convergent
- D. Preparation should be cut in three planes

LABIAL OR 360° MARGIN



0.3-0.5 mm gingival reduction using rounded shoulder margin design

IN-LAB WORKING TIMES

Please allow full working time for each product selected. Working times are NOT quaranteed and do NOT include weekends or holidays.


BioTemps Provisionalsw/ cast-metal frame or	5 working days
cast-metal reinforcement over implant	6 working days
Transition Crowns & Bridgesover implant	0 ,
Smile Transitions	7 working days
Rush service available. Call for details.	

PROVISIONALS RELINE INSTRUCTIONS

For best results, reline provisionals with a methyl methacrylate acrylic reline material (i.e., Luxatemp® Ultra by DMG America, Jet® by Lang, Coldpac by Yates Motloid or Palavit® 55 by Kulzer). Other reline materials should be avoided. However, if used, mechanical undercuts must be cut into the abutment shells for better retention of the reline material.



- Try in the restorations. If any adjustment is needed to seat the restoration, use a low-speed carbide or composite finishing bur.
- Rinse with water and dry completely.



- Apply a minimal amount of reline material to the intaglio of the provisional.
 Use the mix tip to coat the inner walls with the material and evacuate any trapped air bubbles or voids.
- Do not allow the reline material to fully cure on the preparations due to heat generation, which may cause injury to the pulp.
- Gently work the provisional on and off the preps, allowing them to bench cure.



- Apply a thin layer of petroleum jelly to the outer surface of the restoration to prevent excess reline material from sticking.
- Reline provisionals by blocking out any undercuts on the preparations.



- Trim away any flash or excess acrylic using a plastic grinding disc.
- Provisionals can be polished with pumice and polishing paste or resealed with a light-cured glaze (e.g., Palaseal®, Kulzer).
- Cement provisionals using a noneugenol temporary cement if higher retention is needed, Neo-Temp[™] by Waterpik can be used.